


# Self-Tapping Screws



TYPE C pointed			Pozidriv®		Pan		Zinc Plated (CR3)		
Dia. mm	2.2	2.9	3.5	3.9	4.2	4.8	5.5	6.3	Dia. mm
Dia. Gauge	2	4	6	7	8	10	12	14	Dia. Gauge
d1 - max	4.20	5.60	6.90	7.50	8.20	9.50	10.80	12.50	d1 - max
k - max	1.80	2.20	2.60	2.80	3.05	3.55	3.95	4.55	k - max
s - A/F	-	-	-	-	-	-	-	-	s - A/F
Recess	1	1	2	2	2	2	3	3	Recess
L- Length mm	Bulk Carton Quantity   Small Box Quantity								L- Length ins
4.5	115,000   1,000	50,000   1,000							3/16
6.5	86,000   1,000	45,000   1,000	28,000   1,000		16,000   1,000				1/4
8	80,000   1,000	40,000   1,000	24,000   1,000		15,000   1,000				5/16
9.5	70,000   1,000	30,000   1,000	24,000   1,000	18,000   1,000	14,000   1,000	10,000   1,000			3/8
13	55,000   1,000	28,000   1,000	18,000   1,000	15,000   1,000	13,000   1,000	8,000   1,000	7,000   1,000	4,500   500	1/2
16	50,000   1,000	25,000   1,000	15,000   1,000	13,000   1,000	11,000   1,000	7,500   1,000	6,000   1,000	3,800   500	5/8
19		20,000   1,000	13,000   1,000	12,000   1,000	10,000   1,000	7,000   1,000	4,500   1,000	3,500   500	3/4
22		20,000   1,000	13,000   1,000		9,000   1,000	6,500   1,000			7/8
25		15,000   1,000	10,000   1,000	9,500   1,000	7,500   1,000	5,000   1,000	4,000   500	3,000   500	1
32		10,000   1,000	9,000   1,000		6,000   500	4,500   500	3,500   500	2,500   250	1 1/4
38		7,000   1,000	5,000   1,000		5,000   500	3,000   500	3,000   500	2,000   250	1 1/2
45			5,000   500		3,500   500	3,000   500	2,500   250	1,700   250	1 3/4
50			3,000   500		2,500   500	3,000   500	2,000   250	1,200   250	2
57					2,500   250	2,000   250			2 1/4
63					2,300   250	1,500   250	1,500   200	1,200   200	2 1/2
70					1,500   250	1,000   250			2 3/4
75						1,000   250	1,000   200	1,000   200	3

**PRODUCT CODE\***

LTABZPAN42130ZC


**PRODUCT DESCRIPTION\***

4.2 x 13.0 Pozidriv® Pan Type C DIN 7981 Self-Tapping Screw Zinc Plated (CR3)

\* Example product code and product description (see page vii for details).



# Self-Tapping Screws



TYPE C pointed			Pozidriv®		Pan		Zinc Plated (CR3)		
Dia. mm	2.2	2.9	3.5	3.9	4.2	4.8	5.5	6.3	Dia. mm
Dia. Gauge	2	4	6	7	8	10	12	14	Dia. Gauge
d1 - max	4.20	5.60	6.90	7.50	8.20	9.50	10.80	12.50	d1 - max
k - max	1.80	2.20	2.60	2.80	3.05	3.55	3.95	4.55	k - max
s - A/F	-	-	-	-	-	-	-	-	s - A/F
Recess	1	1	2	2	2	2	3	3	Recess
L- Length mm	Bulk Carton Quantity   Small Box Quantity								L- Length ins
4.5									3/16
6.5									1/4
8									5/16
9.5		30,000   N/A	24,000   N/A		14,000   N/A	10,000   N/A			3/8
13		28,000   N/A	18,000   N/A		13,000   N/A	8,000   N/A			1/2
16		25,000   N/A	15,000   N/A		11,000   N/A	7,500   N/A			5/8
19		20,000   N/A	13,000   N/A		10,000   N/A	7,000   N/A			3/4
22									7/8
25		15,000   N/A	10,000   N/A		7,500   N/A	5,000   N/A			1
32									1 1/4
38									1 1/2
45									1 3/4
50									2
57									2 1/4
63									2 1/2
70									2 3/4
75									3

**PRODUCT CODE\***


STABZPAN35190ZC

**PRODUCT DESCRIPTION\***

3.5 x 19.0 Pozidriv® Pan Type C DIN 7981 Self-Tapping Screw Zinc Plated (CR3)

\* Example product code and product description (see page vii for details).

# Self-Tapping Screws



TYPE C pointed		Pozidriv®			Pan			Black Finish		
Dia. mm	2.2	2.9	3.5	3.9	4.2	4.8	5.5	6.3	Dia. mm	
Dia. Gauge	2	4	6	7	8	10	12	14	Dia. Gauge	
d1 - max	4.20	5.60	6.90	7.50	8.20	9.50	10.80	12.50	d1 - max	
k - max	1.80	2.20	2.60	2.80	3.05	3.55	3.95	4.55	k - max	
s - A/F	-	-	-	-	-	-	-	-	s - A/F	
Recess	1	1	2	2	2	2	3	3	Recess	
L- Length mm	Bulk Carton Quantity   Small Box Quantity								L- Length ins	
4.5		50,000   1,000							3/16	
6.5		45,000   1,000	28,000   1,000		16,000   1,000				1/4	
8		40,000   1,000	24,000   1,000		15,000   1,000				5/16	
9.5		30,000   1,000	24,000   1,000		14,000   1,000	10,000   1,000			3/8	
13		28,000   1,000	18,000   1,000		13,000   1,000	8,000   1,000	7,000   1,000	4,500   500	1/2	
16		25,000   1,000	15,000   1,000		11,000   1,000	7,500   1,000	6,000   1,000	3,800   500	5/8	
19		20,000   1,000	13,000   1,000		10,000   1,000	7,000   1,000	4,500   1,000	3,500   500	3/4	
22									7/8	
25		15,000   1,000	10,000   1,000		7,500   1,000	5,000   1,000	4,000   500	3,000   500	1	
32			9,000   1,000		6,000   500	4,500   500	3,500   500	2,500   250	1 1/4	
38			5,000   1,000		5,000   500	3,000   500	3,000   500	2,000   250	1 1/2	
45					3,500   500	3,000   500	2,500   250	1,700   250	1 3/4	
50					3,500   500	3,000   250	2,000   250	1,200   250	2	
57									2 1/4	
63									2 1/2	
70									2 3/4	
75									3	

**PRODUCT CODE\***

LTABZPAN29190ZN


**PRODUCT DESCRIPTION\***

2.9 x 19.0 Pozidriv® Pan Type C DIN 7981 Self-Tapping Screw Black Finish

\* Example product code and product description (see page vii for details).

DIN 7982

# Self-Tapping Screws



TYPE C pointed			Pozidriv®		Countersunk		Zinc Plated (CR3)		
Dia. mm	2.2	2.9	3.5	3.9	4.2	4.8	5.5	6.3	Dia. mm
Dia. Gauge	2	4	6	7	8	10	12	14	Dia. Gauge
d1 - max	4.30	5.50	6.80	7.50	8.10	9.50	10.80	12.40	d1 - max
k - ref	1.30	1.70	2.10	2.30	2.50	3.00	3.40	3.80	k - ref
s - A/F	-	-	-	-	-	-	-	-	s - A/F
Recess	1	1	2	2	2	2	3	3	Recess
L- Length mm	Bulk Carton Quantity   Small Box Quantity								L- Length ins
4.5	145,000   1,000	75,000   1,000							3/16
6.5	120,000   1,000	55,000   1,000	42,000   1,000						1/4
8	110,000   1,000	55,000   1,000	39,000   1,000						5/16
9.5	90,000   1,000	40,000   1,000	28,000   1,000	25,000   1,000	17,000   1,000				3/8
13	75,000   1,000	35,000   1,000	22,000   1,000	21,000   1,000	16,000   1,000	11,000   1,000	10,000   1,000		1/2
16	60,000   1,000	30,000   1,000	18,000   1,000	18,000   1,000	12,000   1,000	10,000   1,000	8,000   1,000		5/8
19		25,000   1,000	19,000   1,000	15,500   000	12,000   1,000	9,000   1,000	6,500   1,000	4,500   500	3/4
22		20,000   1,000	10,000   1,000	12,000   1,000	11,000   1,000	7,000   1,000			7/8
25		19,000   1,000	13,000   1,000	10,000   1,000	9,500   1,000	6,000   1,000	5,000   500	3,800   500	1
32		15,000   1,000	10,000   1,000	9,000   1,000	5,000   1,000	5,500   500	4,000   500	3,000   250	1 1/4
38			7,500   1,000	7,500   1,000	4,000   500	4,000   500	3,300   500	2,500   250	1 1/2
45			5,500   500	5,500   500	4,000   500	3,500   500	3,000   250	2,200   250	1 3/4
50			3,500   500	5,000   500	2,800   500	3,500   250	2,000   250	2,000   250	2
57					2,700   250	2,000   250	2,500   250		2 1/4
63					2,300   250	2,000   250	1,500   200	1,000   200	2 1/2
70					1,500   250				2 3/4
75						1,500   200	1,500   200	1,000   200	3

PRODUCT CODE\*

LTABZCSK48160ZC

PRODUCT DESCRIPTION\*


4.8 x 16.0 Pozidriv® Countersunk Type C DIN 7982 Self-Tapping Screw Zinc Plated (CR3)

\* Example product code and product description (see page vii for details).



DIN 7982

# Self-Tapping Screws



TYPE C pointed			Pozidriv®		Countersunk		Zinc Plated (CR3)		
Dia. mm	2.2	2.9	3.5	3.9	4.2	4.8	5.5	6.3	Dia. mm
Dia. Gauge	2	4	6	7	8	10	12	14	Dia. Gauge
d1 - max	4.30	5.50	6.80	7.50	8.10	9.50	10.80	12.40	d1 - max
k - ref	1.30	1.70	2.10	2.30	2.50	3.00	3.40	3.80	k - ref
s - A/F	-	-	-	-	-	-	-	-	s - A/F
Recess	1	1	2	2	2	2	3	3	Recess
L- Length mm	Bulk Carton Quantity   Small Box Quantity								L- Length ins
4.5									3/16
6.5									1/4
8									5/16
9.5		40,000   N/A	28,000   N/A						3/8
13		35,000   N/A	22,000   N/A		16,000   N/A	11,000   N/A			1/2
16		30,000   N/A	18,000   N/A		12,000   N/A	10,000   N/A			5/8
19		25,000   N/A	19,000   N/A		12,000   N/A	9,000   N/A			3/4
22									7/8
25		19,000   N/A	13,000   N/A		9,500   N/A	6,000   N/A			1
32									1 1/4
38									1 1/2
45									1 3/4
50									2
57									2 1/4
63									2 1/2
70									2 3/4
75									3

PRODUCT CODE*	PRODUCT DESCRIPTION*
STABZCSK42250ZC	4.2 x 25.0 Pozidriv® Countersunk Type C DIN 7982 Self-Tapping Screw Zinc Plated (CR3)

\* Example product code and product description (see page vii for details).

SELF-TAPPING SCREWS

DIN 7504 SELF-DRILLING SCREWS

DIN 7500 THREAD ROLLING SCREWS

ROLLED THREAD MACHINE SCREWS

SCREWS FOR PLASTIC


RIVET BUSHES

CLINCH PRODUCTS

TECHNICAL DATA

**DIN 7982**

# Self-Tapping Screws



TYPE C pointed			Pozidriv®		Countersunk		Black Finish		
Dia. mm	2.2	2.9	3.5	3.9	4.2	4.8	5.5	6.3	Dia. mm
Dia. Gauge	2	4	6	7	8	10	12	14	Dia. Gauge
d1 - max	4.30	5.50	6.80	7.50	8.10	9.50	10.80	12.40	d1 - max
k - ref	1.30	1.70	2.10	2.30	2.50	3.00	3.40	3.80	k - ref
s - A/F	-	-	-	-	-	-	-	-	s - A/F
Recess	1	1	2	2	2	2	3	3	Recess
L- Length mm	Bulk Carton Quantity   Small Box Quantity								L- Length ins
4.5									3/16
6.5		55,000   1,000	42,000   1,000						1/4
8		55,000   1,000	39,000   1,000						5/16
9.5		40,000   1,000	28,000   1,000		17,000   1,000				3/8
13		35,000   1,000	22,000   1,000		16,000   1,000	11,000   1,000			1/2
16		30,000   1,000	18,000   1,000		12,000   1,000	10,000   1,000	8,000   1,000		5/8
19		25,000   1,000	19,000   1,000		12,000   1,000	9,000   1,000	6,500   1,000	4,500   500	3/4
22									7/8
25		19,000   1,000	10,000   1,000		9,500   1,000	6,000   1,000	5,000   500	3,800   500	1
32			10,000   1,000		5,000   1,000	5,500   500	4,000   500	3,000   250	1 1/4
38			7,500   1,000		4,000   500	4,000   500	3,300   500	2,500   250	1 1/2
45					4,000   500	3,500   500	3,000   250	2,200   250	1 3/4
50					2,800   500	3,500   250	2,000   250	2,000   250	2
57									2 1/4
63									2 1/2
70									2 3/4
75									3

**PRODUCT CODE\***


LTABZCSK29130ZN

**PRODUCT DESCRIPTION\***

2.9 x 13.0 Pozidriv® Countersunk Type C DIN 7982 Self-Tapping Screw Black Finish

\* Example product code and product description (see page vii for details).

# Self-Tapping Screws



TYPE C pointed			Pozidriv®				Flange		Zinc Plated (CR3)		
Dia. mm	2.2	2.9	3.5	3.9	4.2	4.8	5.5	6.3	Dia. mm		
Dia. Gauge	2	4	6	7	8	10	12	14	Dia. Gauge		
d1 - max	-	6.53	8.15	-	9.75	11.38	13.00	14.55	d1 - max		
k - max	-	1.60	1.88	-	2.36	2.90	3.15	3.68	k - max		
s - A/F	-	-	-	-	-	-	-	-	s - A/F		
Recess	-	1	2	-	2	2	3	3	Recess		
L- Length mm	Bulk Carton Quantity   Small Box Quantity										L- Length ins
4.5											3/16
6.5		48,000   1,000	31,000   1,000		19,000   1,000						1/4
8		40,000   1,000	28,000   1,000		17,000   1,000						5/16
9.5		35,000   1,000	26,000   1,000		15,000   1,000	10,000   1,000					3/8
13		30,000   1,000	20,000   1,000		12,000   1,000	9,000   1,000	6,000   1,000				1/2
16		26,000   1,000	15,000   1,000		11,000   1,000	7,000   1,000	5,500   500				5/8
19		25,000   1,000	13,000   1,000		11,000   1,000	6,000   1,000	5,000   500				3/4
22											7/8
25			8,600   1,000		7,000   1,000	5,000   500	4,500   500				1
32			8,000   1,000		5,000   500	3,500   500	3,500   500				1 1/4
38			8,000   1,000		4,500   500	4,000   500					1 1/2
45					4,000   500	3,000   250					1 3/4
50					2,500   500	3,000   250					2
57											2 1/4
63											2 1/2
70											2 3/4
75											3

**PRODUCT CODE\***

LTABZFLN55320ZC

**PRODUCT DESCRIPTION\***


5.5 x 32.0 Pozidriv® Flange Type C BS4174 Self-Tapping Screw Zinc Plated (CR3)

\* Example product code and product description (see page vii for details).



**BS4174**

# Self-Tapping Screws



TYPE C pointed			Pozidriv®		Flange		Zinc Plated (CR3)		
Dia. mm	2.2	2.9	3.5	3.9	4.2	4.8	5.5	6.3	Dia. mm
Dia. Gauge	2	4	6	7	8	10	12	14	Dia. Gauge
d1 - max	-	6.53	8.15	-	9.75	11.38	13.00	14.55	d1 - max
k - max	-	1.60	1.88	-	2.36	2.90	3.15	3.68	k - max
s - A/F	-	-	-	-	-	-	-	-	s - A/F
Recess	-	1	2	-	2	2	3	3	Recess
L- Length mm	Bulk Carton Quantity   Small Box Quantity								L- Length ins
4.5									3/16
6.5									1/4
8									5/16
9.5		35,000   N/A	26,000   N/A		15,000   N/A	10,000   N/A			3/8
13		30,000   N/A	20,000   N/A		12,000   N/A	9,000   N/A			1/2
16		26,000   N/A	15,000   N/A		11,000   N/A	7,000   N/A			5/8
19		25,000   N/A	13,000   N/A		11,000   N/A	6,000   N/A			3/4
22									7/8
25			8,600   N/A		7,000   N/A	5,000   N/A			1
32									1 1/4
38									1 1/2
45									1 3/4
50									2
57									2 1/4
63									2 1/2
70									2 3/4
75									3

**PRODUCT CODE\***

STABZFLN42250ZC

**PRODUCT DESCRIPTION\***


4.2 x 25.0 Pozidriv® Flange Type C BS4174 Self-Tapping Screw Zinc Plated (CR3)

\* Example product code and product description (see page vii for details).



**BS4174**

# Self-Tapping Screws



TYPE C pointed		Pozidriv®				Flange		Black Finish	
Dia. mm	2.2	2.9	3.5	3.9	4.2	4.8	5.5	6.3	Dia. mm
Dia. Gauge	2	4	6	7	8	10	12	14	Dia. Gauge
d1 - max	-	6.53	8.15	-	9.75	11.38	13.00	14.55	d1 - max
k - max	-	1.60	1.88	-	2.36	2.90	3.15	3.68	k - max
s - A/F	-	-	-	-	-	-	-	-	s - A/F
Recess	-	1	2	-	2	2	3	3	Recess
L- Length mm	Bulk Carton Quantity   Small Box Quantity								L- Length ins
4.5									3/16
6.5		48,000   1,000							1/4
8		40,000   1,000	28,000   1,000		17,000   1,000				5/16
9.5		35,000   1,000	26,000   1,000		15,000   1,000	10,000   1,000			3/8
13		30,000   1,000	20,000   1,000		12,000   1,000	9,000   1,000			1/2
16		26,000   1,000	15,000   1,000		11,000   1,000	7,000   1,000			5/8
19		25,000   1,000	13,000   1,000		11,000   1,000	6,000   1,000			3/4
22									7/8
25			8,600   1,000		7,000   1,000	5,000   500			1
32			8,000   1,000		3,500   500	3,500   500			1 1/4
38			8,000   1,000		4,500   500	4,000   500			1 1/2
45					4,000   500	3,000   250			1 3/4
50					2,500   500	3,000   250			2
57									2 1/4
63									2 1/2
70									2 3/4
75									3

**PRODUCT CODE\***

LTABZFLN35130ZN


**PRODUCT DESCRIPTION\***

3.5 x 13.0 Pozidriv® Flange Type C BS4174 Self-Tapping Screw Black Finish

\* Example product code and product description (see page vii for details).

DIN 7983

# Self-Tapping Screws



TYPE C pointed			Pozidriv®		Raised Countersunk		Zinc Plated (CR3)		
Dia. mm	2.2	2.9	3.5	3.9	4.2	4.8	5.5	6.3	Dia. mm
Dia. Gauge	2	4	6	7	8	10	12	14	Dia. Gauge
d1 - max	4.30	5.50	6.80	7.50	8.10	9.50	10.80	12.40	d1 - max
k - ref	1.30	1.70	2.10	2.30	2.50	3.00	3.40	3.80	k - ref
s - A/F	-	-	-	-	-	-	-	-	s - A/F
Recess	1	1	2	2	2	2	3	3	Recess
L- Length mm	Bulk Carton Quantity   Small Box Quantity								L- Length ins
4.5									3/16
6.5									1/4
8									5/16
9.5		40,000   1,000	32,000   1,000			15,000   1,000			3/8
13		35,000   1,000	18,000   1,000	18,000   1,000	14,500   1,000	9,500   1,000	8,000   1,000		1/2
16		26,000   1,000	20,000   1,000	15,000   1,000	12,000   1,000	9,000   1,000	6,000   1,000		5/8
19		27,000   1,000	13,000   1,000	12,000   1,000	10,000   1,000	7,000   1,000	5,000   1,000		3/4
22			15,000   1,000		10,000   1,000	7,000   1,000			7/8
25		20,000   1,000	12,000   1,000	10,000   1,000	8,500   1,000	6,300   1,000	3,000   500		1
32			8,000   1,000		7,000   500	5,000   500	4,000   500		1 1/4
38			7,500   1,000		5,000   500	4,500   500	2,800   500		1 1/2
45					5,000   500	3,500   500	2,500   250		1 3/4
50					4,000   500	2,500   250	2,400   250		2
57									2 1/4
63									2 1/2
70									2 3/4
75									3

**PRODUCT CODE\***


LTABZRS55130ZC

**PRODUCT DESCRIPTION\***

5.5 x 13.0 Pozidriv® Raised Countersunk Type C DIN 7983 Self-Tapping Screw Zinc Plated (CR3)

\* Example product code and product description (see page vii for details).

# Self-Tapping Screws



TYPE C pointed			Pozidriv®		Raised Countersunk			Black Finish	
Dia. mm	2.2	2.9	3.5	3.9	4.2	4.8	5.5	6.3	Dia. mm
Dia. Gauge	2	4	6	7	8	10	12	14	Dia. Gauge
d1 - max	4.30	5.50	6.80	7.50	8.10	9.50	10.80	12.40	d1 - max
k - ref	1.30	1.70	2.10	2.30	2.50	3.00	3.40	3.80	k - ref
s - A/F	-	-	-	-	-	-	-	-	s - A/F
Recess	1	1	2	2	2	2	3	3	Recess
L- Length mm	Bulk Carton Quantity   Small Box Quantity								L- Length ins
4.5									3/16
6.5									1/4
8									5/16
9.5		40,000   1,000	32,000   1,000		15,000   1,000				3/8
13		35,000   1,000	18,000   1,000		14,500   1,000	9,500   1,000			1/2
16		26,000   1,000	20,000   1,000		12,000   1,000	9,000   1,000			5/8
19		27,000   1,000	13,000   1,000		10,000   1,000	7,000   1,000			3/4
22									7/8
25		20,000   1,000	12,000   1,000		8,500   1,000	6,300   1,000			1
32			8,000   1,000		7,000   500	5,000   500			1 1/4
38			7,500   1,000		5,000   500	4,500   500			1 1/2
45					5,000   500	3,500   500			1 3/4
50					4,000   500	2,500   250			2
57									2 1/4
63									2 1/2
70									2 3/4
75									3

**PRODUCT CODE\***

LTABZRS35095ZN

**PRODUCT DESCRIPTION\***


3.5 x 9.5 Pozidriv® Raised Countersunk Type C DIN 7983 Self-Tapping Screw Black Finish

\* Example product code and product description (see page vii for details).

Earthing Nibs

# Self-Tapping Screws

WITH EARTHING NIBS



TYPE C pointed			Pozidriv®		Washer Pan		Zinc Plated (CR3)		
Dia. mm	2.2	2.9	3.5	3.9	4.2	4.8	5.5	6.3	Dia. mm
Dia. Gauge	2	4	6	7	8	10	12	14	Dia. Gauge
d1 - max	-	-	6.90	-	8.20	-	-	-	d1 - max
k - max	-	-	2.60	-	3.05	-	-	-	k - max
s - A/F	-	-	-	-	-	-	-	-	s - A/F
Recess	-	-	2	-	2	-	-	-	Recess
L- Length mm	Bulk Carton Quantity   Small Box Quantity								L- Length ins
4.5									3/16
6.5									1/4
8									5/16
9.5			18,000   1,000		15,000   1,000				3/8
13			13,000   1,000		14,000   1,000				1/2
16									5/8
19									3/4
22									7/8
25									1
32									1 1/4
38									1 1/2
45									1 3/4
50									2
57									2 1/4
63									2 1/2
70									2 3/4
75									3

PRODUCT CODE\*

ENABZWPN42130ZC

PRODUCT DESCRIPTION\*


4.2 x 13.0 Pozidriv® Washer Pan With Earthing Nibs Type C Self-Tapping Screw Zinc Plated (CR3)

\* Example product code and product description (see page vii for details).



**DIN 7981**

# Self-Tapping Screws



TYPE C pointed		Cross Recess (H)				Pan		Zinc Plated (CR3)		
Dia. mm	2.2	2.9	3.5	3.9	4.2	4.8	5.5	6.3	Dia. mm	
Dia. Gauge	2	4	6	7	8	10	12	14	Dia. Gauge	
d1 - max	4.20	5.60	6.90	7.50	8.20	9.50	10.80	12.50	d1 - max	
k - max	1.80	2.20	2.60	2.80	3.05	3.55	3.95	4.55	k - max	
s - A/F	-	-	-	-	-	-	-	-	s - A/F	
Recess	1	1	2	2	2	2	3	3	Recess	
L- Length mm	Bulk Carton Quantity   Small Box Quantity								L- Length ins	
4.5									3/16	
6.5									1/4	
8									5/16	
9.5		32,000   1,000	16,000   1,000	16,000   1,000	9,000   1,000	9,000   1,000			3/8	
13		16,000   1,000	16,000   1,000	16,000   1,000	9,000   1,000	6,000   1,000	6,000   1,000	3,000   500	1/2	
16		16,000   1,000	9,000   1,000	16,000   1,000	9,000   1,000	6,000   1,000	6,000   1,000	3,000   500	5/8	
19		9,000   1,000	9,000   1,000	9,000   1,000	9,000   1,000	6,000   1,000	3,000   1,000	3,000   500	3/4	
22		9,000   1,000	9,000   1,000	9,000   1,000	6,000   1,000	6,000   1,000	3,000   500	3,000   250	7/8	
25		9,000   1,000	9,000   1,000	6,000   1,000	6,000   1,000	3,000   500	3,000   500	3,000   250	1	
32		6,000   1,000	4,500   500	4,500   500	3,000   500	3,000   500	3,000   500	1,500   250	1 1/4	
38		6,000   1,000	4,500   500	4,500   500	3,000   500	3,000   500	3,000   500	1,500   250	1 1/2	
45			3,000   500	3,000   500	3,000   500	3,000   500	1,500   500	1,500   250	1 3/4	
50			3,000   500	3,000   500	3,000   500	3,000   500	1,500   500	1,500   250	2	
57									2 1/4	
63									2 1/2	
70									2 3/4	
75									3	

PRODUCT CODE*	PRODUCT DESCRIPTION*
STABHPAN35130ZC	3.5 x 13.0 Cross Recess (H) Pan Type C DIN 7981 Self-Tapping Screw Zinc Plated (CR3)


\* Example product code and product description (see page vii for details).

SELF-TAPPING SCREWS  
 DIN 7504 SELF-DRILLING SCREWS  
 DIN 7500 THREAD ROLLING SCREWS  
 ROLLED THREAD MACHINE SCREWS  
 SCREWS FOR PLASTIC  
 RIVET BUSHES  
 CLINCH PRODUCTS  
 TECHNICAL DATA



**DIN 7982**

# Self-Tapping Screws




	TYPE C pointed		Cross Recess (H)		Countersunk		Zinc Plated (CR3)		
Dia. mm	2.2	2.9	3.5	3.9	4.2	4.8	5.5	6.3	Dia. mm
Dia. Gauge	2	4	6	7	8	10	12	14	Dia. Gauge
d1 - max	4.30	5.50	6.80	7.50	8.10	9.50	10.80	12.40	d1 - max
k - ref	1.30	1.70	2.10	2.30	2.50	3.00	3.40	3.80	k - ref
s - A/F	-	-	-	-	-	-	-	-	s - A/F
Recess	1	1	2	2	2	2	3	3	Recess
L- Length mm	Bulk Carton Quantity   Small Box Quantity								L- Length ins
4.5									3/16
6.5									1/4
8									5/16
9.5		32,000   1,000	16,000   1,000	16,000   1,000	16,000   1,000				3/8
13		32,000   1,000	16,000   1,000	16,000   1,000	9,000   1,000	9,000   1,000	9,000   1,000		1/2
16		16,000   1,000	9,000   1,000	9,000   1,000	9,000   1,000	9,000   1,000	6,000   1,000	4,500   500	5/8
19		16,000   1,000	9,000   1,000	9,000   1,000	9,000   1,000	6,000   1,000	6,000   1,000	4,500   500	3/4
22		16,000   1,000	9,000   1,000	9,000   1,000	9,000   1,000	6,000   1,000	4,500   1,000	3,000   500	7/8
25		9,000   1,000	9,000   1,000	9,000   1,000	6,000   1,000	4,500   500	3,000   1,000	3,000   250	1
32			4,500   500	4,500   500	4,500   500	4,500   500	3,000   500	1,500   250	1 1/4
38						3,000   500	3,000   500	1,500   250	1 1/2
45						3,000   500	1,500   500	1,500   250	1 3/4
50						3,000   500	1,500   500	1,500   125	2
57									2 1/4
63									2 1/2
70									2 3/4
75									3

<b>PRODUCT CODE*</b> STABHCSK42160ZC	<b>PRODUCT DESCRIPTION*</b> 4.2 x 16.0 Cross Recess (H) Countersunk Type C DIN 7982 Self-Tapping Screw Zinc Plated (CR3)
---	---

\* Example product code and product description (see page vii for details).

# Self-Tapping Screws




TYPE C pointed			T-Drive		Pan		Zinc Plated (CR3)		
Dia. mm	2.2	2.9	3.5	3.9	4.2	4.8	5.5	6.3	Dia. mm
Dia. Gauge	2	4	6	7	8	10	12	14	Dia. Gauge
d1 - max	4.20	5.60	6.90	7.50	8.20	9.50	10.80	12.50	d1 - max
k - max	1.80	2.20	2.60	2.80	3.05	3.55	3.95	4.55	k - max
s - A/F	-	-	-	-	-	-	-	-	s - A/F
Recess	T8	T10	T15	T15	T20	T25	T27	T30	Recess
L- Length mm	Bulk Carton Quantity   Small Box Quantity								L- Length ins
4.5									3/16
6.5		45,000   1,000	28,000   1,000			18,000   1,000			1/4
8		38,000   1,000	24,000   1,000						5/16
9.5		30,000   1,000	22,000   1,000			14,000   1,000			3/8
13		28,000   1,000	18,000   1,000			13,000   1,000	8,000   1,000		1/2
16		25,000   1,000	16,000   1,000			11,000   1,000	7,500   1,000		5/8
19		22,000   1,000	13,500   1,000			10,000   1,000	8,000   1,000		3/4
22									7/8
25			10,000   1,000			8,000   1,000	5,700   1,000		1
32			8,000   1,000			6,000   500	4,000   500		1 1/4
38			7,000   1,000			5,000   500	3,200   500		1 1/2
45									1 3/4
50									2
57									2 1/4
63									2 1/2
70									2 3/4
75									3

PRODUCT CODE*	PRODUCT DESCRIPTION*
LTABTXPAN48190ZC	4.8 x 19.0 T-Drive Pan Type C DIN 7981 Self-Tapping Screw Zinc Plated (CR3)

\* Example product code and product description (see page vii for details).

DIN 7982

# Self-Tapping Screws



TYPE C pointed			T-Drive		Countersunk		Zinc Plated (CR3)		
Dia. mm	2.2	2.9	3.5	3.9	4.2	4.8	5.5	6.3	Dia. mm
Dia. Gauge	2	4	6	7	8	10	12	14	Dia. Gauge
d1 - max	4.30	5.50	6.80	7.50	8.10	9.50	10.80	12.40	d1 - max
k - ref	1.30	1.70	2.10	2.30	2.50	3.00	3.40	3.80	k - ref
s - A/F	-	-	-	-	-	-	-	-	s - A/F
Recess		T8	T10	T15	T20	T25	T25	T30	Recess
L- Length mm	Bulk Carton Quantity   Small Box Quantity								L- Length ins
4.5									3/16
6.5		65,000   1,000							1/4
8		57,000   1,000	39,000   1,000						5/16
9.5		50,000   1,000	31,000   1,000		23,000   1,000				3/8
13		35,000   1,000	22,000   1,000		16,500   1,000	13,000   1,000			1/2
16		36,000   1,000	20,000   1,000		16,000   1,000	10,000   1,000			5/8
19		25,000   1,000	16,000   1,000		14,000   1,000	9,000   1,000			3/4
22									7/8
25			13,000   1,000		9,000   1,000	7,000   1,000			1
32					5,000   1,000	6,000   500			1 1/4
38					6,000   500	5,000   500			1 1/2
45									1 3/4
50									2
57									2 1/4
63									2 1/2
70									2 3/4
75									3

**PRODUCT CODE\***

LTABTXCSK48380ZC

**PRODUCT DESCRIPTION\***

4.8 x 38.0 T-Drive Countersunk Type C DIN 7982 Self-Tapping Screw Zinc Plated (CR3)

\* Example product code and product description (see page vii for details).






## Security Screws

**DIN 7981**

# Self-Tapping Screws



PROTECTOR 4		Pin T-Drive			Pan		Zinc Plated (CR3)		
Dia. mm	2.2	2.9	3.5	3.9	4.2	4.8	5.5	6.3	Dia. mm
Dia. Gauge	2	4	6	7	8	10	12	14	Dia. Gauge
d1 - max	4.20	5.60	6.90	7.50	8.20	9.50	10.80	12.50	d1 - max
k - max	1.80	2.20	2.60	2.80	3.05	3.55	3.95	4.55	k - max
s - A/F	-	-	-	-	-	-	-	-	s - A/F
Recess	T8	T10	T15	T15	T20	T25	T27	T30	Recess
L- Length mm	Bulk Carton Quantity   Small Box Quantity								L- Length ins
4.5									3/16
6.5									1/4
8									5/16
9.5			23,000   1,000						3/8
13			18,000   1,000		13,000   1,000	8,000   1,000			1/2
16			15,000   1,000		11,000   1,000	7,500   1,000			5/8
19			13,000   1,000		9,000   1,000	6,000   1,000			3/4
22									7/8
25			10,000   1,000		7,500   1,000	5,000   1,000			1
32			8,000   1,000		4,000   500	4,000   500			1 1/4
38			5,000   1,000		3,000   500	4,000   500			1 1/2
45									1 3/4
50									2
57									2 1/4
63									2 1/2
70									2 3/4
75									3

PRODUCT CODE*	PRODUCT DESCRIPTION*
LTABPNDRPAN48130ZC	4.8 x 13.0 Pin T-Drive Pan PROTECTOR 4 Type C DIN 7981 Self-Tapping Screw Zinc Plated (CR3)

\* Example product code and product description (see page vii for details).


SELF-TAPPING SCREWS  
 DIN 7504 SELF-DRILLING SCREWS  
 DIN 7500 THREAD ROLLING SCREWS  
 ROLLED THREAD MACHINE SCREWS  
 SCREWS FOR PLASTIC  
 RIVET BUSHES  
 CLINCH PRODUCTS  
 TECHNICAL DATA



- Security Screws

**DIN 7981 SIMILAR**

# Self-Tapping Screws



**PROTECTOR 4**

Pin T-Drive

Button

A2 - Stainless Steel

Dia. mm	2.2	2.9	3.5	3.9	4.2	4.8	5.5	6.3	Dia. mm
Dia. Gauge	2	4	6	7	8	10	12	14	Dia. Gauge
d1 - max	-	-	6.70	7.50	7.90	9.20	10.50	11.10	d1 - max
k - max	-	-	1.90	-	2.20	2.60	2.90	3.40	k - max
s - A/F	-	-	-	-	-	-	-	-	s - A/F
Recess	-	-	T10	-	T15	T25	-	-	Recess
L- Length mm	Bulk Carton Quantity   Small Box Quantity								L- Length ins
4.5									3/16
6.5									1/4
8									5/16
9.5			23,000   1,000						3/8
13			18,000   1,000		13,000   1,000	8,000   1,000			1/2
16			15,000   1,000		11,000   1,000	7,500   1,000			5/8
19			13,000   1,000		9,000   1,000	6,000   1,000			3/4
22									7/8
25			10,000   1,000		7,500   1,000	5,000   1,000			1
32			8,000   1,000		4,000   500	4,000   500			1 1/4
38			5,000   1,000		3,000   500	4,000   500			1 1/2
45									1 3/4
50									2
57									2 1/4
63									2 1/2
70									2 3/4
75									3

**PRODUCT CODE\***

**PRODUCT DESCRIPTION\***

SSABPNTXBUT35095A2

3.5 x 9.5 Pin T-Drive Button PROTECTOR 4 Type C DIN 7981 similar Self-Tapping Screw A2 - Stainless Steel


\* Example product code and product description (see page vii for details).



- Security Screws

**DIN 7982**

# Self-Tapping Screws



PROTECTOR 4		Pin T-Drive			Countersunk		Zinc Plated (CR3)		
Dia. mm	2.2	2.9	3.5	3.9	4.2	4.8	5.5	6.3	Dia. mm
Dia. Gauge	2	4	6	7	8	10	12	14	Dia. Gauge
d1 - max	4.30	5.50	6.80	7.50	8.10	9.50	10.80	12.40	d1 - max
k - ref	1.30	1.70	2.10	2.30	2.50	3.00	3.40	3.80	k - ref
s - A/F	-	-	-	-	-	-	-	-	s - A/F
Recess		T8	T10	T15	T20	T25	T25	T30	Recess
L- Length mm	Bulk Carton Quantity   Small Box Quantity								L- Length ins
4.5									3/16
6.5									1/4
8									5/16
9.5			28,000   1,000						3/8
13			20,000   1,000		16,000   1,000	12,000   1,000			1/2
16			18,000   1,000		12,000   1,000	10,000   1,000			5/8
19			14,000   1,000		12,000   1,000	10,000   1,000			3/4
22									7/8
25			12,000   1,000		9,000   1,000	6,000   1,000			1
32			10,000   1,000		6,000   1,000	4,000   500			1 1/4
38			7,500   1,000		4,000   500	3,000   500			1 1/2
45									1 3/4
50									2
57									2 1/4
63									2 1/2
70									2 3/4
75									3

PRODUCT CODE*	PRODUCT DESCRIPTION*
LTABPNDRCSK48190ZC	4.8 x 19.0 Pin T-Drive Countersunk PROTECTOR 4 Type C DIN 7982 Self-Tapping Screw Zinc Plated (CR3)

\* Example product code and product description (see page vii for details).


SELF-TAPPING SCREWS  
 DIN 7504 SELF-DRILLING SCREWS  
 DIN 7500 THREAD ROLLING SCREWS  
 ROLLED THREAD MACHINE SCREWS  
 SCREWS FOR PLASTIC  
 RIVET BUSHES  
 CLINCH PRODUCTS  
 TECHNICAL DATA



- Security Screws

DIN 7982 SIMILAR

# Self-Tapping Screws



**PROTECTOR 4**

Pin T-Drive

Countersunk

A2 - Stainless Steel

Dia. mm	2.2	2.9	3.5	3.9	4.2	4.8	5.5	6.3	Dia. mm
Dia. Gauge	2	4	6	7	8	10	12	14	Dia. Gauge
d1 - max	-	-	7.80	-	9.10	10.50	11.10	13.50	d1 - max
k - ref	-	-	3.30	-	3.80	4.30	4.40	5.10	k - ref
s - A/F	-	-	-	-	-	-	-	-	s - A/F
Recess	-	-	T15	-	T20	T25	-	-	Recess
L- Length mm	Bulk Carton Quantity   Small Box Quantity								L- Length ins
4.5									3/16
6.5									1/4
8									5/16
9.5			28,000   1,000						3/8
13			20,000   1,000		16,000   1,000	12,000   1,000			1/2
16			18,000   1,000		12,000   1,000	10,000   1,000			5/8
19			14,000   1,000		12,000   1,000	10,000   1,000			3/4
22									7/8
25			12,000   1,000		9,000   1,000	6,000   1,000			1
32			10,000   1,000		6,000   1,000	4,000   500			1 1/4
38			7,500   1,000		4,000   500	3,000   500			1 1/2
45									1 3/4
50									2
57									2 1/4
63									2 1/2
70									2 3/4
75									3

**PRODUCT CODE\***

**PRODUCT DESCRIPTION\***

SSABPNTXCSK35095A2


3.5 x 9.5 Pin T-Drive Countersunk PROTECTOR 4 Type C DIN 7982 similar Self-Tapping Screw A2 - Stainless Steel

\* Example product code and product description (see page vii for details).

- Product Ranges

**DIN 7971**

# Self-Tapping Screws



TYPE C pointed			Slotted		Pan		Zinc Plated (CR3)		
Dia. mm	2.2	2.9	3.5	3.9	4.2	4.8	5.5	6.3	Dia. mm
Dia. Gauge	2	4	6	7	8	10	12	14	Dia. Gauge
d1 - max	4.20	5.60	6.90	7.50	8.20	9.50	10.80	12.50	d1 - max
k - max	1.35	1.75	2.10	2.25	2.45	2.80	3.20	3.65	k - max
s - A/F	-	-	-	-	-	-	-	-	s - A/F
Recess	-	-	-	-	-	-	-	-	Recess
L- Length mm	Bulk Carton Quantity   Small Box Quantity								L- Length ins
4.5									3/16
6.5		45,000   1,000	30,000   1,000						1/4
8		42,000   1,000	28,000   1,000						5/16
9.5		30,000   1,000	22,000   1,000	18,000   1,000	14,000   1,000	11,000   1,000			3/8
13		28,000   1,000	18,000   1,000		13,000   1,000	8,000   1,000	6,000   1,000	6,000   500	1/2
16		30,000   1,000	15,000   1,000	13,500   1,000	11,000   1,000	8,000   1,000	6,500   1,000	3,800   500	5/8
19		25,000   1,000	13,000   1,000	12,000   1,000	7,000   1,000	7,000   1,000	5,000   1,000	3,000   500	3/4
22									7/8
25		15,000   1,000	10,000   1,000	10,000   1,000	8,000   1,000	6,000   1,000	4,500   500	2,500   500	1
32			8,000   1,000	8,000   1,000	5,500   500	4,500   500	4,000   500	2,500   250	1 1/4
38			8,000   1,000	7,000   500	5,500   500	4,000   500	3,000   500	2,000   250	1 1/2
45									1 3/4
50					3,500   500	2,500   250	2,300   250	1,500   250	2
57									2 1/4
63									2 1/2
70									2 3/4
75									3

PRODUCT CODE*	PRODUCT DESCRIPTION*
LTABSLPAN63500ZC	6.3 x 50.0 Slotted Pan Type C DIN 7971 Self-Tapping Screw Zinc Plated (CR3)


\* Example product code and product description (see page vii for details).

SELF-TAPPING SCREWS  
 DIN 7504 SELF-DRILLING SCREWS  
 DIN 7500 THREAD ROLLING SCREWS  
 ROLLED THREAD MACHINE SCREWS  
 SCREWS FOR PLASTIC  
 RIVET BUSHES  
 CLINCH PRODUCTS  
 TECHNICAL DATA

- Product Ranges

DIN 7972

# Self-Tapping Screws



TYPE C pointed			Slotted		Countersunk		Zinc Plated (CR3)		
Dia. mm	2.2	2.9	3.5	3.9	4.2	4.8	5.5	6.3	Dia. mm
Dia. Gauge	2	4	6	7	8	10	12	14	Dia. Gauge
d1 - max	4.30	5.50	6.80	7.50	8.10	9.50	10.80	12.40	d1 - max
k - ref	1.30	1.70	2.10	2.30	2.50	3.00	3.40	3.80	k - ref
s - A/F	-	-	-	-	-	-	-	-	s - A/F
Recess	-	-	-	-	-	-	-	-	Recess
L- Length mm	Bulk Carton Quantity   Small Box Quantity								L- Length ins
4.5									3/16
6.5		70,000   1,000							1/4
8		55,000   1,000							5/16
9.5		40,000   1,000	32,000   1,000						3/8
13		38,000   1,000	22,000   1,000	21,000   1,000	16,000   1,000	11,000   1,000			1/2
16		30,000   1,000	21,000   1,000	18,000   1,000	13,000   1,000	10,000   1,000			5/8
19		25,000   1,000	19,000   1,000	16,000   1,000	15,000   1,000	9,000   1,000	6,000   1,000		3/4
22									7/8
25		18,000   1,000	13,000   1,000	10,000   1,000	10,000   1,000	6,800   1,000	5,000   500	3,000   500	1
32			10,000   1,000	8,000   1,000	8,000   1,000	5,500   500			1 1/4
38			9,000   1,000		5,000   500	4,500   500	3,000   500	2,500   250	1 1/2
45									1 3/4
50					3,500   500	3,000   250	2,500   250	1,500   250	2
57									2 1/4
63									2 1/2
70									2 3/4
75									3

PRODUCT CODE\*

LTABSLCSK48380ZC

PRODUCT DESCRIPTION\*


4.8 x 38.0 Slotted Countersunk Type C DIN 7972 Self-Tapping Screw Zinc Plated (CR3)

\* Example product code and product description (see page vii for details).

- Product Ranges

**DIN 7973**

# Self-Tapping Screws



TYPE C pointed			Slotted		Raised Countersunk		Zinc Plated (CR3)		
Dia. mm	2.2	2.9	3.5	3.9	4.2	4.8	5.5	6.3	Dia. mm
Dia. Gauge	2	4	6	7	8	10	12	14	Dia. Gauge
d1 - max	4.30	5.50	6.80	7.50	8.10	9.50	10.80	12.40	d1 - max
k - ref	1.30	1.70	2.10	2.30	2.50	3.00	3.40	3.80	k - ref
s - A/F	-	-	-	-	-	-	-	-	s - A/F
Recess	-	-	-	-	-	-	-	-	Recess
L- Length mm	Bulk Carton Quantity   Small Box Quantity								L- Length ins
4.5									3/16
6.5									1/4
8									5/16
9.5			32,000   1,000		15,000   1,000				3/8
13		35,000   1,000	22,000   1,000		14,000   1,000	10,000   1,000			1/2
16		30,000   1,000	20,000   1,000		14,000   1,000	9,000   1,000			5/8
19		25,000   1,000	17,000   1,000		11,000   1,000	7,000   1,000	5,500   1,000		3/4
22									7/8
25		16,000   1,000	12,000   1,000		8,500   1,000	6,300   1,000			1
32			8,000   1,000		7,000   500	5,000   500	4,000   500		1 1/4
38			7,000   1,000		6,500   500	3,700   500	3,500   500		1 1/2
45						3,000   500			1 3/4
50					3,500   500	2,000   250			2
57									2 1/4
63									2 1/2
70									2 3/4
75									3

PRODUCT CODE*	PRODUCT DESCRIPTION*
LTABSLRSD29250ZC	2.9 x 25.0 Slotted Raised Countersunk Type C DIN 7973 Self-Tapping Screw Zinc Plated (CR3)


\* Example product code and product description (see page vii for details).

SELF-TAPPING SCREWS  
 DIN 7504 SELF-DRILLING SCREWS  
 DIN 7500 THREAD ROLLING SCREWS  
 ROLLED THREAD MACHINE SCREWS  
 SCREWS FOR PLASTIC  
 RIVET BUSHES  
 CLINCH PRODUCTS  
 TECHNICAL DATA

- Product Ranges

**DIN 6928**

# Self-Tapping Screws



TYPE C pointed			Washer Hexagon					Zinc Plated (CR3)		
Dia. mm	2.2	2.9	3.5	3.9	4.2	4.8	5.5	6.3	Dia. mm	
Dia. Gauge	2	4	6	7	8	10	12	14	Dia. Gauge	
d1 - max	-	-	8.30	-	8.80	10.50	11.00	13.20	d1 - max	
k - max	-	-	3.40	-	4.10	4.30	5.40	5.90	k - max	
s - A/F max.	-	-	5.50	-	7.00	8.00	8.00	10.00	s - A/F max.	
Recess	-	-	-	-	-	-	-	-	Recess	
L- Length mm	Bulk Carton Quantity   Small Box Quantity								L- Length ins	
4.5									3/16	
6.5									1/4	
8									5/16	
9.5			18,000   1,000		11,000   1,000				3/8	
13			15,000   1,000		10,000   1,000	7,500   1,000	6,000   1,000	3,800   500	1/2	
16					8,000   1,000	6,500   1,000	5,000   1,000	3,500   500	5/8	
19			12,000   1,000		9,000   1,000	6,000   1,000	4,000   1,000	3,000   500	3/4	
22									7/8	
25							4,500   500	2,600   250	1	
32								2,500   250	1 1/4	
38								1,700   250	1 1/2	
45									1 3/4	
50							2,000   250		2	
57									2 1/4	
63									2 1/2	
70									2 3/4	
75									3	

**PRODUCT CODE\***

LTABWHX55160ZC

**PRODUCT DESCRIPTION\***

5.5 x 16.0 Washer Hexagon Type C DIN 6928 Self-Tapping Screw Zinc Plated (CR3)



\* Example product code and product description (see page vii for details).



- Product Ranges

**DIN 7976**

# Self-Tapping Screws



TYPE C pointed			Hexagon					Zinc Plated (CR3)		
Dia. mm	2.2	2.9	3.5	3.9	4.2	4.8	5.5	6.3	Dia. mm	
Dia. Gauge	2	4	6	7	8	10	12	14	Dia. Gauge	
d1 - max	-	-	-	-	-	-	-	-	d1 - max	
k - nom	1.30	1.50	2.30	2.30	2.80	3.00	4.00	4.80	k - nom	
s - A/F max	3.20	5.00	5.50	7.00	7.00	8.00	8.00	10.00	s - A/F max	
Recess	-	-	-	-	-	-	-	-	Recess	
L- Length mm	Bulk Carton Quantity   Small Box Quantity								L- Length ins	
4.5									3/16	
6.5									1/4	
8									5/16	
9.5			28,000   1,000		11,000   1,000	12,500   1,000			3/8	
13			18,000   1,000		12,000   1,000	9,000   1,000	6,000   1,000	4,500   500	1/2	
16			14,000   1,000		10,000   1,000	8,000   1,000	5,000   1,000	4,000   500	5/8	
19			13,000   1,000		8,000   1,000	7,000   1,000	5,000   1,000	3,700   500	3/4	
22									7/8	
25					7,000   1,000	6,000   1,000	4,800   500	3,000   500	1	
32						5,000   500	3,500   500	2,300   250	1 1/4	
38						4,000   500	2,500   500	2,300   250	1 1/2	
45								2,000   250	1 3/4	
50							2,000   250	1,700   250	2	
57									2 1/4	
63									2 1/2	
70									2 3/4	
75									3	

<b>PRODUCT CODE*</b>	<b>PRODUCT DESCRIPTION*</b>
LTABHEX63190ZC	6.3 x 19.0 Hexagon Type C DIN 7976 Self-Tapping Screw Zinc Plated (CR3)


\* Example product code and product description (see page vii for details).

SELF-TAPPING SCREWS  
 DIN 7504 SELF-DRILLING SCREWS  
 DIN 7500 THREAD ROLLING SCREWS  
 ROLLED THREAD MACHINE SCREWS  
 SCREWS FOR PLASTIC  
 RIVET BUSHES  
 CLINCH PRODUCTS  
 TECHNICAL DATA

- Product Ranges

**DIN 7981**

# Self-Tapping Screws



TYPE F blunt			Pozidriv®		Pan		Zinc Plated (CR3)		
Dia. mm	2.2	2.9	3.5	3.9	4.2	4.8	5.5	6.3	Dia. mm
Dia. Gauge	2	4	6	7	8	10	12	14	Dia. Gauge
d1 - max	4.20	5.60	6.90	7.50	8.20	9.50	10.80	12.50	d1 - max
k - max	1.80	2.20	2.60	2.80	3.05	3.55	3.95	4.55	k - max
s - A/F	-	-	-	-	-	-	-	-	s - A/F
Recess	1	1	2	2	2	2	3	3	Recess
L- Length mm	Bulk Carton Quantity   Small Box Quantity								L- Length ins
3.0	125,000   1,000								1/8
4.5	100,000   1,000	54,000   1,000	30,000   1,000						3/16
6.5	80,000   1,000	40,000   1,000	28,000   1,000		15,000   1,000	10,000   1,000			1/4
8	70,000   1,000	40,000   1,000	24,000   1,000		15,000   1,000	10,000   1,000			5/16
9.5	60,000   1,000	32,000   1,000	25,000   1,000		14,000   1,000	8,500   1,000			3/8
13	53,000   1,000	30,000   1,000	20,000   1,000		12,000   1,000	7,500   1,000	6,000   1,000		1/2
16		25,000   1,000	15,000   1,000		11,000   1,000	7,000   1,000	5,500   1,000		5/8
19		24,000   1,000	13,000   1,000		9,000   1,000	7,000   1,000	5,000   500		3/4
22			10,000   1,000			6,000   500			7/8
25		12,000   1,000	10,000   1,000		7,500   1,000	5,000   500	4,000   500		1
32		12,000   1,000	6,000   1,000		6,000   500	4,000   500			1 1/4
38									1 1/2
45									1 3/4
50									2
57									2 1/4
63									2 1/2
70									2 3/4

**PRODUCT CODE\***


LTBZPAN22095ZC

**PRODUCT DESCRIPTION\***

2.2 x 9.5 Pozidriv® Pan Type F DIN 7981 Self-Tapping Screw Zinc Plated (CR3)

\* Example product code and product description (see page vii for details).

# Self-Tapping Screws



TYPE F blunt		Pozidriv®				Countersunk		Zinc Plated (CR3)		
Dia. mm	2.2	2.9	3.5	3.9	4.2	4.8	5.5	6.3	Dia. mm	
Dia. Gauge	2	4	6	7	8	10	12	14	Dia. Gauge	
d1 - max	4.30	5.50	6.80	7.50	8.10	9.50	10.80	12.40	d1 - max	
k - ref	1.30	1.70	2.10	2.30	2.50	3.00	3.40	3.80	k - ref	
s - A/F	-	-	-	-	-	-	-	-	s - A/F	
Recess	1	1	2	2	2	2	3	3	Recess	
L- Length mm	Bulk Carton Quantity   Small Box Quantity								L- Length ins	
4.5	150,000   1,000								3/16	
6.5	120,000   1,000	64,000   1,000	38,000   1,000						1/4	
8	100,000   1,000	45,000   1,000	35,000   1,000						5/16	
9.5	80,000   1,000	40,000   1,000	30,000   1,000		16,000   1,000				3/8	
13	72,000   1,000	38,000   1,000	24,000   1,000		16,000   1,000	11,000   1,000			1/2	
16		30,000   1,000	25,000   1,000		14,000   1,000	10,000   1,000			5/8	
19		27,000   1,000	18,000   1,000		10,000   1,000	8,500   1,000			3/4	
22									7/8	
25			14,000   1,000		8,500   1,000	6,000   1,000			1	
32					6,000   500			2,500   500	1 1/4	
38								2,300   250	1 1/2	
45							3,000   250	1,800   250	1 3/4	
50								1,500   250	2	
57								1,500   200	2 1/4	
63								1,100   150	2 1/2	
70									2 3/4	
75									3	

**PRODUCT CODE\***

LTBZCSK35190ZC


**PRODUCT DESCRIPTION\***

3.5 x 19.0 Pozidriv® Countersunk Type F DIN 7982 Self-Tapping Screw Zinc Plated (CR3)

\* Example product code and product description (see page vii for details).

BS4174

# Self-Tapping Screws





TYPE F blunt			Pozidriv®		Flange		Zinc Plated (CR3)		
Dia. mm	2.2	2.9	3.5	3.9	4.2	4.8	5.5	6.3	Dia. mm
Dia. Gauge	2	4	6	7	8	10	12	14	Dia. Gauge
d1 - max	-	6.53	8.15	-	9.75	11.38	13.00	14.55	d1 - max
k - max	-	1.60	1.88	-	2.36	2.90	3.15	3.68	k - max
s - A/F	-	-	-	-	-	-	-	-	s - A/F
Recess	-	1	2	-	2	2	3	3	Recess
L- Length mm	Bulk Carton Quantity   Small Box Quantity								L- Length ins
4.5									3/16
6.5		40,000   1,000	30,000   1,000		20,000   1,000				1/4
8			25,000   1,000		17,500   1,000				5/16
9.5		30,000   1,000	22,000   1,000		16,000   1,000	10,000   1,000			3/8
13			19,000   1,000		12,500   1,000	8,500   1,000			1/2
16			17,000   1,000		11,500   1,000	9,000   1,000			5/8
19			15,000   1,000		10,000   1,000				3/4
22									7/8
25					7,000   1,000				1
32									1 1/4
38									1 1/2
45									1 3/4
50									2
57									2 1/4
63									2 1/2
70									2 3/4
75									3

**PRODUCT CODE\***  
LTBZFLN42250ZC

**PRODUCT DESCRIPTION\***  
4.2 x 25.0 Pozidriv® Flange Type F BS4174 Self-Tapping Screw Zinc Plated (CR3)

\* Example product code and product description (see page vii for details).

# Self-Tapping Screws




TYPE F blunt			Hexagon					Zinc Plated (CR3)		
Dia. mm	2.2	2.9	3.5	3.9	4.2	4.8	5.5	6.3	Dia. mm	
Dia. Gauge	2	4	6	7	8	10	12	14	Dia. Gauge	
d1 - max	-	-	-	-	-	-	-	-	d1 - max	
k - nom	1.30	1.50	2.30	2.30	2.80	3.00	4.00	4.80	k - nom	
s - A/F max	3.20	5.00	5.50	7.00	7.00	8.00	8.00	10.00	s - A/F max	
Recess	-	-	-	-	-	-	-	-	Recess	
L- Length mm	Bulk Carton Quantity   Small Box Quantity								L- Length ins	
4.5									3/16	
6.5									1/4	
8									5/16	
9.5									3/8	
13						6,000   1,000	7,000   1,000	4,000   500	1/2	
16						7,000   1,000		4,000   500	5/8	
19						6,000   1,000	4,000   1,000	3,000   500	3/4	
22									7/8	
25									1	
32									1 1/4	
38									1 1/2	
45									1 3/4	
50									2	
57									2 1/4	
63									2 1/2	
70									2 3/4	
75									3	

<b>PRODUCT CODE*</b> LTBHEX63160ZC	<b>PRODUCT DESCRIPTION*</b> 6.3 x 16.0 Hexagon Type F DIN 7976 Self-Tapping Screw Zinc Plated (CR3)
---------------------------------------	--

\* Example product code and product description (see page vii for details).

BS4174

# Hammer Drive Screws




TYPE U		Round							Electro Brass Plated	
Dia. mm max	1.52	1.90	2.54	2.95	3.56	4.24	4.62	-	Dia. mm max	
Dia. Gauge	00	0	2	4	6	8	10	-	Dia. Gauge	
d1 - max	2.51	3.22	4.11	5.36	6.60	7.85	9.12	-	d1 - max	
k - max	0.86	1.24	1.75	2.18	2.62	3.05	3.48	-	k - max	
s - A/F	-	-	-	-	-	-	-	-	s - A/F	
Recess	-	-	-	-	-	-	-	-	Recess	
L- Length ins	Bulk Carton Quantity   Small Box Quantity								L- Length ins	
1/8	290,000   1,000	190,000   1,000	95,000   1,000						1/8	
3/16	280,000   1,000	150,000   1,000	80,000   1,000	45,000   1,000	32,000   1,000				3/16	
1/4	260,000   1,000	130,000   1,000	80,000   1,000	42,000   1,000	26,000   1,000				1/4	
5/16	200,000   1,000	120,000   1,000	60,000   1,000	37,000   1,000	25,000   1,000				5/16	
3/8	200,000   1,000	100,000   1,000	60,000   1,000	35,000   1,000	22,000   1,000		10,000   1,000		3/8	
1/2				26,000   1,000	20,000   1,000		9,000   1,000		1/2	
-									-	
-									-	
-									-	
-									-	
-									-	
-									-	
-									-	
-									-	
-									-	
-									-	

<b>PRODUCT CODE*</b> HDURHD0095EB	<b>PRODUCT DESCRIPTION*</b> 0 x 3/8 Type U Round BS4174 Hammer Drive Screw Electro Brass Plated
--------------------------------------	--

\* Example product code and product description (see page vii for details).

# Hammer Drive Screws




TYPE U		Round							Nickel Plated
Dia. mm max	1.52	1.90	2.54	2.95	3.56	4.24	4.62	-	Dia. mm max
Dia. Gauge	00	0	2	4	6	8	10	-	Dia. Gauge
d1 - max	2.51	3.22	4.11	5.36	6.60	7.85	9.12	-	d1 - max
k - max	0.86	1.24	1.75	2.18	2.62	3.05	3.48	-	k - max
s - A/F	-	-	-	-	-	-	-	-	s - A/F
Recess	-	-	-	-	-	-	-	-	Recess
L- Length ins	Bulk Carton Quantity   Small Box Quantity								L- Length ins
1/8			95,000   1,000						1/8
3/16			80,000   1,000	45,000   1,000	32,000   1,000				3/16
1/4			80,000   1,000	42,000   1,000	26,000   1,000				1/4
5/16			60,000   1,000	37,000   1,000	25,000   1,000				5/16
3/8			60,000   1,000	35,000   1,000	22,000   1,000		10,000   1,000		3/8
1/2				26,000   1,000	20,000   1,000		9,000   1,000		1/2
-									-
-									-
-									-
-									-
-									-
-									-
-									-
-									-
-									-
-									-

<b>PRODUCT CODE*</b> HDURHD35130NP	<b>PRODUCT DESCRIPTION*</b> 6 x 1/2 Type U Round BS4174 Hammer Drive Screw Nickel Plated
---------------------------------------	---

\* Example product code and product description (see page vii for details).

**BS4174**

# Hammer Drive Screws



TYPE U		Round							Zinc Plated (CR3)	
Dia. mm max	1.52	1.90	2.54	2.95	3.56	4.24	4.62	-	Dia. mm max	
Dia. Gauge	00	0	2	4	6	8	10	-	Dia. Gauge	
d1 - max	2.51	3.22	4.11	5.36	6.60	7.85	9.12	-	d1 - max	
k - max	0.86	1.24	1.75	2.18	2.62	3.05	3.48	-	k - max	
s - A/F	-	-	-	-	-	-	-	-	s - A/F	
Recess	-	-	-	-	-	-	-	-	Recess	
L- Length ins	Bulk Carton Quantity   Small Box Quantity								L- Length ins	
1/8			95,000   1,000						1/8	
3/16			80,000   1,000	45,000   1,000	32,000   1,000				3/16	
1/4			80,000   1,000	42,000   1,000	26,000   1,000				1/4	
5/16			60,000   1,000	37,000   1,000	25,000   1,000				5/16	
3/8			60,000   1,000	35,000   1,000	22,000   1,000		10,000   1,000		3/8	
1/2				26,000   1,000	20,000   1,000		9,000   1,000		1/2	
-									-	
-									-	
-									-	
-									-	
-									-	
-									-	
-									-	
-									-	
-									-	
-									-	

<b>PRODUCT CODE*</b> HDURHD22095ZC	<b>PRODUCT DESCRIPTION*</b> 2 x 3/8 Type U Round BS4174 Hammer Drive Screw Zinc Plated (CR3)
---------------------------------------	---

\* Example product code and product description (see page vii for details).