


POLYMATE® 40°

METRIC

Thread Forming Screws

FOR PLASTIC



	Pozidriv®			Pan			Zinc Plated (CR3)		
Dia. D max	2.2	2.5	3	3.5	4	5	6	-	Dia. D max
Dia. Gauge	-	-	-	-	-	-	-	-	Dia. Gauge
d1 - max	-	-	5.60	6.90	7.50	9.50	10.80	-	d1 - max
k - max	-	-	2.20	2.60	2.80	3.55	3.95	-	k - max
s - A/F	-	-	-	-	-	-	-	-	s - A/F
Recess	-	-	1	2	2	2	3	-	Recess
L- Length mm	Bulk Carton Quantity Small Box Quantity								L- Length mm
5									5
6			45,000 1,000						6
8			42,000 1,000	30,000 1,000	20,000 1,000				8
10			40,000 1,000	26,000 1,000	20,000 1,000				10
12			28,000 1,000	20,000 1,000	17,000 1,000	10,000 1,000			12
14									14
16			20,000 1,000	16,000 1,000		7,000 1,000			16
18									18
20				12,000 1,000	10,000 1,000	7,000 1,000			20
25						5,000 500			25
30						5,000 500			30
35									35
-									-
-									-
-									-
-									-
-									-

PRODUCT CODE*

PMBPZPAN30012ZC

PRODUCT DESCRIPTION*

3 x 12 Pozidriv® Pan Polymate® 40° Screw Zinc Plated (CR3)


* Example product code and product description (see page vii for details).

POLYMATE® 40°

METRIC

Thread Forming Screws

FOR PLASTIC



	Pozidriv®			Countersunk			Zinc Plated (CR3)		
Dia. D max	2.2	2.5	3	3.5	4	5	6	-	Dia. D max
Dia. Gauge	-	-	-	-	-	-	-	-	Dia. Gauge
d1 - max	-	-	6.00	7.00	8.00	10.00	12.00	-	d1 - max
k - ref	-	-	1.50	1.85	2.10	2.60	3.10	-	k - ref
s - A/F	-	-	-	-	-	-	-	-	s - A/F
Recess	-	-	1	2	2	2	3	-	Recess
L- Length mm	Bulk Carton Quantity Small Box Quantity								L- Length mm
5									5
6			50,000 1,000						6
8			50,000 1,000	30,000 1,000					8
10			40,000 1,000	26,000 1,000	20,000 1,000				10
12			30,000 1,000	23,000 1,000	17,000 1,000	10,000 1,000			12
14									14
16			25,000 1,000	16,000 1,000	12,000 1,000	9,000 1,000			16
18									18
20			20,000 1,000	15,000 1,000	10,000 1,000	7,000 1,000			20
25					7,500 1,000	6,000 1,000			25
30						4,500 500			30
35									35
-									-
-									-
-									-
-									-
-									-

PRODUCT CODE*	PRODUCT DESCRIPTION*
PMBPZCSK40012ZC	4 x 12 Pozidriv® Countersunk Polymate® 40° Screw Zinc Plated (CR3)

* Example product code and product description (see page vii for details).


SELF-TAPPING SCREWS
 DIN 7504 SELF-DRILLING SCREWS
 DIN 7500 THREAD ROLLING SCREWS
 ROLLED THREAD MACHINE SCREWS
 SCREWS FOR PLASTIC
 RIVET BUSHES
 CLINCH PRODUCTS
 TECHNICAL DATA

POLYMATE® 40°

METRIC

Thread Forming Screws

FOR PLASTIC



	Pozidriv®			Flange			Zinc Plated (CR3)		
Dia. D max	2.2	2.5	3	3.5	4	5	6	-	Dia. D max
Dia. Gauge	-	-	-	-	-	-	-	-	Dia. Gauge
d1 - max	-	-	6.00	7.00	8.00	10.00	12.00	-	d1 - max
k - max	-	-	2.22	2.52	2.62	3.35	4.15	-	k - max
s - A/F	-	-	-	-	-	-	-	-	s - A/F
Recess	-	-	1	2	2	2	3	-	Recess
L- Length mm	Bulk Carton Quantity Small Box Quantity								L- Length mm
5									5
6			45,000 1,000						6
8			30,000 1,000	30,000 1,000	20,000 1,000				8
10			30,000 1,000	30,000 1,000	20,000 1,000				10
12			30,000 1,000	20,000 1,000	15,000 1,000	8,000 1,000			12
14									14
16			20,000 1,000	14,000 1,000	10,000 1,000	7,000 1,000			16
18									18
20				10,000 1,000	8,000 1,000	6,000 1,000			20
25						5,000 500			25
30						4,000 500			30
35									35
-									-
-									-
-									-
-									-
-									-

PRODUCT CODE*

PMBPZFLN30008ZC

PRODUCT DESCRIPTION*

3 x 8 Pozidriv® Flange Polymate® 40° Screw Zinc Plated (CR3)

* Example product code and product description (see page vii for details).