


PLAS-FIX 60°

INCH

Thread Rolling Screws

FOR PLASTIC



	Pozidriv®					Pan		Zinc Plated (CR3)		
Dia. Gauge	2.28	4.20	6.19	8.16	10.14	-	-	-		Dia. Gauge
Dia. D max	0.089	0.123	0.143	0.179	0.208	-	-	-		Dia. D max
Dia. C max	0.092	0.127	0.147	0.185	0.212	-	-	-		Dia. C max
d1 - max ins	0.167	0.219	0.270	0.322	0.373	-	-	-		d1 - max ins
k - max ins	0.062	0.080	0.097	0.115	0.133	-	-	-		k - max ins
Recess	1	1	2	2	2	-	-	-		Recess
L- Length ins	Bulk Carton Quantity Small Box Quantity									L- Length ins
3/16	100,000 1,000	50,000 1,000	30,000 1,000							3/16
1/4	95,000 1,000	40,000 1,000	26,000 1,000							1/4
5/16	75,000 1,000	38,000 1,000	24,000 1,000	15,000 1,000						5/16
3/8	60,000 1,000	35,000 1,000	22,000 1,000	14,000 1,000	9,000 1,000					3/8
7/16	50,000 1,000									7/16
1/2	50,000 1,000	29,000 1,000	19,000 1,000	11,000 1,000	8,000 1,000					1/2
9/16				9,000 1,000						9/16
5/8	40,000 1,000	23,000 1,000	16,000 1,000	10,000 1,000	7,000 1,000					5/8
3/4	35,000 1,000	18,000 1,000	14,000 1,000	8,000 1,000	6,000 1,000					3/4
1		15,000 1,000	11,000 1,000	7,500 1,000	4,800 500					1
1 1/4		11,000 1,000	8,000 1,000							1 1/4
1 3/8			6,500 500							1 3/8
1 1/2		6,500 500								1 1/2
-										-
-										-
-										-
-										-

PRODUCT CODE*	PRODUCT DESCRIPTION*
PTWZPAN42080ZC	8.16 x 5/16 Pozidriv® Pan Plas-Fix 60° Screw Zinc Plated (CR3)

* Example product code and product description (see page vii for details).


SELF-TAPPING SCREWS
 DIN 7504 SELF-DRILLING SCREWS
 DIN 7500 THREAD ROLLING SCREWS
 ROLLED THREAD MACHINE SCREWS
 SCREWS FOR PLASTIC
 RIVET BUSHES
 CLINCH PRODUCTS
 TECHNICAL DATA

PLAS-FIX 60°

INCH

Thread Rolling Screws

FOR PLASTIC



	Pozidriv®				Countersunk			Zinc Plated (CR3)		
Di. Gauge	2.28	4.20	6.19	8.16	10.14	-	-	-	-	Di. Gauge
Di. D max	0.089	0.123	0.143	0.179	0.208	-	-	-	-	Di. D max
Di. C max	0.092	0.127	0.147	0.185	0.212	-	-	-	-	Di. C max
d1 - max ins	0.172	0.225	0.279	0.332	0.385	-	-	-	-	d1 - max ins
k - ref	0.051	0.067	0.083	0.100	0.116	-	-	-	-	k - ref
Recess	1	1	2	2	2	-	-	-	-	Recess
L- Length ins	Bulk Carton Quantity Small Box Quantity									L- Length ins
3/16	140,000 1,000									3/16
1/4	135,000 1,000	62,500 1,000								1/4
5/16	80,000 1,000	50,000 1,000	30,000 1,000	20,000 1,000						5/16
3/8	90,000 1,000	45,000 1,000	25,000 1,000	19,000 1,000						3/8
7/16										7/16
1/2	70,000 1,000	38,000 1,000	22,000 1,000	15,000 1,000	10,000 1,000					1/2
9/16										9/16
5/8	50,000 1,000	25,000 1,000	18,000 1,000	11,000 1,000						5/8
3/4		25,000 1,000	15,000 1,000	11,000 1,000						3/4
1										1
1 1/4										1 1/4
1 3/8										1 3/8
-										-
-										-
-										-
-										-
-										-

PRODUCT CODE*	PRODUCT DESCRIPTION*
PTWZCSK35095ZC	6.19 x 3/8 Pozidriv® Countersunk Plas-Fix 60° Screw Zinc Plated (CR3)


* Example product code and product description (see page vii for details).

PLAS-FIX 60°

INCH

Thread Rolling Screws

FOR PLASTIC



	Pozidriv®				Flange		Zinc Plated (CR3)		
Dia. Gauge	2.28	4.20	6.19	8.16	10.14	-	-	-	Dia. Gauge
Dia. D max	0.089	0.123	0.143	0.179	0.208	-	-	-	Dia. D max
Dia. C max	0.092	0.127	0.147	0.185	0.212	-	-	-	Dia. C max
d1 - max ins	0.194	0.257	0.321	0.384	0.448	-	-	-	d1 - max ins
k - max ins	0.059	0.063	0.074	0.093	0.114	-	-	-	k - max ins
Recess	1	1	2	2	2	-	-	-	Recess
L- Length ins	Bulk Carton Quantity Small Box Quantity								L- Length ins
3/16									3/16
1/4	85,000 1,000	45,000 1,000	30,000 1,000						1/4
5/16	60,000 1,000	40,000 1,000	25,000 1,000	17,000 1,000					5/16
3/8	60,000 1,000	35,000 1,000	25,000 1,000	15,000 1,000	10,000 1,000				3/8
7/16									7/16
1/2	41,500 1,000	30,000 1,000	20,000 1,000	12,000 1,000	9,000 1,000				1/2
9/16									9/16
5/8		25,000 1,000	17,000 1,000	10,000 1,000	7,500 1,000				5/8
3/4		20,000 1,000	13,000 1,000	10,000 1,000	7,000 1,000				3/4
1		15,000 1,000	11,000 1,000	7,000 1,000	5,000 500				1
1 1/4									1 1/4
1 3/8									1 3/8
-									-
-									-
-									-
-									-
-									-

PRODUCT CODE*	PRODUCT DESCRIPTION*
PTWZFLN48095ZC	10.14 x 3/8 Pozidriv® Flange Plas-Fix 60° Screw Zinc Plated (CR3)

* Example product code and product description (see page vii for details).


SELF-TAPPING SCREWS
 DIN 7504 SELF-DRILLING SCREWS
 DIN 7500 THREAD ROLLING SCREWS
 ROLLED THREAD MACHINE SCREWS
 SCREWS FOR PLASTIC
 RIVET BUSHES
 CLINCH PRODUCTS
 TECHNICAL DATA

PLAS-FIX 60°

MICRO DIAMETER

Thread Rolling Screws

FOR PLASTIC



	Cross Recess (H)			Pan			Black Finish		
Di. D max	1.4	1.6	1.7	2.0	2.3	2.6	-	-	Di. D max
Di. C max	-	-	-	-	-	-	-	-	Di. C max
d1 - max	2.5	2.8	3.0	3.5	4.0	4.5	-	-	d1 - max
k - max	0.8	0.85	0.9	1.0	1.1	1.2	-	-	k - max
s - A/F	-	-	-	-	-	-	-	-	s - A/F
Recess	0	0	0	1	1	1	-	-	Recess
L- Length mm	Bulk Carton Quantity Small Box Quantity								L- Length mm
2									2
3	N/A 1,000	N/A 1,000	N/A 1,000	N/A 1,000					3
4	N/A 1,000	N/A 1,000	N/A 1,000	N/A 1,000	N/A 1,000	N/A 1,000			4
5	N/A 1,000	N/A 1,000	N/A 1,000	N/A 1,000	N/A 1,000	N/A 1,000			5
6	N/A 1,000	N/A 1,000	N/A 1,000	N/A 1,000	N/A 1,000	N/A 1,000			6
8	N/A 1,000	N/A 1,000	N/A 1,000	N/A 1,000	N/A 1,000	N/A 1,000			8
10	N/A 1,000			N/A 1,000	N/A 1,000	N/A 1,000			10
-									-
-									-
-									-
-									-
-									-
-									-
-									-
-									-
-									-
-									-

PRODUCT CODE*	PRODUCT DESCRIPTION*
MI-PT60WHPAN17003BN	1.7 x 3 Cross Recess (H) Pan Plas-Fix 60° Screw Black Finish


* Example product code and product description (see page vii for details).

PLAS-FIX 60°

MICRO DIAMETER

Thread Rolling Screws

FOR PLASTIC



	Cross Recess (H)			Countersunk			Black Finish		
Dia. D _{max}	1.4	1.6	1.7	2.0	2.3	2.6	-	-	Dia. D _{max}
Dia. C _{max}	-	-	-	-	-	-	-	-	Dia. C _{max}
d1 - max	2.5	2.8	3.0	3.5	4.0	4.5	-	-	d1 - max
k - ref	0.7	0.8	0.8	0.9	1.0	1.1	-	-	k - ref
s - A/F	-	-	-	-	-	-	-	-	s - A/F
Recess	0	0	0	1	1	1	-	-	Recess
L- Length mm	Bulk Carton Quantity Small Box Quantity								L- Length mm
2									2
3	N/A 1,000	N/A 1,000	N/A 1,000						3
4	N/A 1,000	N/A 1,000	N/A 1,000	N/A 1,000					4
5	N/A 1,000	N/A 1,000	N/A 1,000	N/A 1,000	N/A 1,000	N/A 1,000			5
6	N/A 1,000	N/A 1,000	N/A 1,000	N/A 1,000	N/A 1,000	N/A 1,000			6
8				N/A 1,000	N/A 1,000	N/A 1,000			8
10				N/A 1,000	N/A 1,000	N/A 1,000			10
-									-
-									-
-									-
-									-
-									-
-									-
-									-
-									-
-									-
-									-
-									-

PRODUCT CODE*	PRODUCT DESCRIPTION*
MI-PT60WHCSK20010BN	2 x 10 Cross Recess (H) Countersunk Plas-Fix 60° Screw Black Finish

* Example product code and product description (see page vii for details).

SELF-TAPPING SCREWS
 DIN 7504 SELF-DRILLING SCREWS
 DIN 7500 THREAD ROLLING SCREWS
 ROLLED THREAD MACHINE SCREWS
 SCREWS FOR PLASTIC
 RIVET BUSHES
 CLINCH PRODUCTS
 TECHNICAL DATA